


Profile section single-sash constructions



A	Airgap	12,0 ^{+0,5}
B	Axis dimension	13,0
C	Rebate width	20,0
D	Rebate height	20,0
E	Fittings groove	16,0
F	Rebate thickness	15,0

All dimensions are nominal dimensions, specified in mm.
They already include general tolerances according to DIN ISO 2768-1.

Sash-frame combinations single-sash constructions

Sash	8813	9168	9189
Frame	9161	9161	9161
	9192	9192	9207
	9207	9207	
Secondary sash dimension	F16	F16	F16
Backset	45 mm	30 mm	45 mm

Components single-sash constructions

Description	Part number	with SKG stamp	Version	Replacement part	Day latch	E-opener	Latch shape
Main striker plate for latch/bolt							
USB 25-146ERH/31L-M-SKG 2	3478370	SKG 2	–	115-34	115A	3	offset
USB 25-146ERH/31R-M-SKG 2	3478371	SKG 2	–	115-34	115A	3	offset
USB 25-146EH/31L-M-SKG 2	3482215	SKG 2	–	116-06	-	1	bevelled
USB 25-146EH/31R-M-SKG 2	3482214	SKG 2	–	116-06	-	1	bevelled
Additional striker plate for safety lock T2							
USB 25-146T2/31L	3479965	–	–	–	–	–	–
USB 25-146T2/31R	3479966	–	–	–	–	–	–
Additional striker plate for round bolts with Genius magnetic reed switch contact							
USB 2325-146/31	3483252	–	–	–	–	–	–
Additional striker plate for round bolts/hook bolts							
USB 3625-146Q/31L--SKG 2	3478368	SKG 2	–	–	–	–	–
USB 3625-146Q/31R--SKG 2	3478369	SKG 2	–	–	–	–	–
USB B3625-146VH/31---SKG 2	3511717	SKG 2	–	–	–	–	–
Additional striker plate for locking element/hook bolts BS 3700							
USB 3625-146F/31L--SKG 2	3524592	SKG 2	–	–	–	–	–




Components single-sash constructions

Description	Part number	with SKG stamp	Version	Replacement part	Day latch	E-opener	Latch shape
USB 3625-146F/31R--SKG 2	3524593	SKG 2	—	—	—	—	—
Striker plate for comfort mushroom cam							
striker plate S-RS 3SL A2040	TRSK0270-...	—	—	—	—	—	—
Locking rail with 2 auxiliary boxes							
USL BD25-2-146ERQH/31L-M-B001-SKG 2	3482225	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERQH/31R-M-B001-SKG 2	3482224	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERQH/31L-M-B003-SKG 2	3492001	SKG 2	B003	115-34	115A	3	offset
USL BD25-2-146ERQH/31R-M-B003-SKG 2	3492002	SKG 2	B003	115-34	115A	3	offset
USL BD25-2-146ERQH/31L-M-B298-SKG 2	3482229	SKG 2	B298	115-34	115A	3	offset
USL BD25-2-146ERQH/31R-M-B298-SKG 2	3482228	SKG 2	B298	115-34	115A	3	offset
Locking rail with 2 auxiliary boxes for BS 3700							
USL BD25-2-146ERFH/31L-M-B001-SKG 2	3524785	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERFH/31R-M-B001-SKG 2	3524784	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERFH/31L-M-B003-SKG 2	3525011	SKG 2	B003	115-34	115A	3	offset
USL BD25-2-146ERFH/31R-M-B003-SKG 2	3525012	SKG 2	B003	115-34	115A	3	offset
USL BD25-2-146ERFH/31L-M-B298-SKG 2	3524789	SKG 2	B298	115-34	115A	3	offset
USL BD25-2-146ERFH/31R-M-B298-SKG 2	3524788	SKG 2	B298	115-34	115A	3	offset
Locking rail with 2 auxiliary boxes and safety lock T2							
USL BD25-2-146ERQT2H/31L-M-B001-SKG 2	3482234	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERQT2H/31R-M-B001-SKG 2	3482233	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERQT2H/31L-M-B298-SKG 2	3495864	SKG 2	B298	115-34	115A	3	offset
USL BD25-2-146ERQT2H/31R-M-B298-SKG 2	3495865	SKG 2	B298	115-34	115A	3	offset
Locking rail with 2 auxiliary boxes and safety lock T2 for BS 3700 T4							
USL BD25-2-146ERFT2H/31L-M-B001-SKG 2	3524793	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERFT2H/31R-M-B001-SKG 2	3524792	SKG 2	B001	115-34	115A	3	offset
USL BD25-2-146ERFT2H/31L-M-B298-SKG 2	3525053	SKG 2	B298	115-34	115A	3	offset
USL BD25-2-146ERFT2H/31R-M-B298-SKG 2	3525054	SKG 2	B298	115-34	115A	3	offset
Locking rail E3Q for 3 A-opener							
USL BD25-2-146E3QH/31L---B001-SKG 2	3482242	SKG 2	B001	PIECE	-	5	offset
USL BD25-2-146E3QH/31R---B001-SKG 2	3482241	SKG 2	B001	PIECE	-	5	offset
Locking rail with 4 auxiliary boxes							
USL BD25-4-146ERQH/31L-M-B001-SKG 2	3504746	SKG 2	B001	115-34	115A	3	offset
USL BD25-4-146ERQH/31R-M-B001-SKG 2	3504747	SKG 2	B001	115-34	115A	3	offset
Accessories							
BSS 8042-059/31	3384405	—	—	—	—	—	—



Profile section secondary sash constructions



A	Airgap	12,0 ⁺	D	Rebate height	20,0
B	Axis dimension	13,0	E	Fittings groove	16,0
C	Rebate width	20,0	F	Rebate thickness	15,0

All dimensions are nominal dimensions, specified in mm. They already include general tolerances according to DIN ISO 2768-1.

Sash-frame combinations secondary sash constructions

		Sash		
		8813	9168	9189
Frame	9161	Secondary sash profile		
		8834	8834	8834
Secondary sash dimension		F16	F16	F16
Backset		45 mm	30 mm	45 mm

Components secondary sash constructions

Description	Part number	with SKG stamp	Version	Replacement part	Day latch	E-opener	Latch shape
Main striker plate for latch/bolt							
USB 25-733-2ERH/31L-M-SKG 2--S	3487469	SKG 2	—	115-34	115A	3	offset
USB 25-733-2ERH/31R-M-SKG 2--S	3487471	SKG 2	—	115-34	115A	3	offset
USB 25-733-2EH/31L-M-SKG 2--S	3487473	SKG 2	—	116-08-5	-	1	bevelled
USB 25-733-2EH/31R-M-SKG 2--S	3487474	SKG 2	—	116-08-5	-	1	bevelled
Additional striker plate for round bolts/hook bolts							
USB 3625-733-2Q/31L--SKG 2-S	3487466	SKG 2	—	—	—	—	—
USB 3625-733-2Q/31R--SKG 2-S	3487467	SKG 2	—	—	—	—	—
USB B3625-733-2VH/31---SKG 2	3511735	SKG 2	—	—	—	—	—



Components secondary sash constructions

Description	Part number	with SKG stamp	Version	Replacement part	Day latch	E-opener	Latch shape
Additional striker plate for locking element/hook bolts BS 3700							
USB 3625-733-2F/31L--SKG 2	3524760	SKG 2	–	–	–	–	–
USB 3625-733-2F/31R--SKG 2	3524761	SKG 2	–	–	–	–	–
Cant lock							
KTR 8037-1/31	3479298	–	–	–	–	–	–
KTR 8032/31	3228000	–	–	–	–	–	–
Basic part secondary sash lock bolt							
SFB BS60-733-2ERQH/31L-M-B001-SKG 2	3478202	SKG 2	B001	115-41	115B	3	offset
SFB BS60-733-2ERQH/31R-M-B001-SKG 2	3478203	SKG 2	B001	115-41	115B	3	offset
SFB BS60-733-2ERQH/31L-M-B003-SKG 2	3478210	SKG 2	B003	115-41	115B	3	offset
SFB BS60-733-2ERQH/31R-M-B003-SKG 2	3478211	SKG 2	B003	115-41	115B	3	offset
SFB BS60-733-2ERQH/31L-M-B298-SKG 2	3478216	SKG 2	B298	115-41	115B	3	offset
SFB BS60-733-2ERQH/31R-M-B298-SKG 2	3478217	SKG 2	B298	115-41	115B	3	offset
Basic part secondary sash lock bolt for BS 3700							
SFB BS60-733-2ERFH/31L-M-B001-SKG 2	3524559	SKG 2	B001	115-41	115B	3	offset
SFB BS60-733-2ERFH/31R-M-B001-SKG 2	3524560	SKG 2	B001	115-41	115B	3	offset
SFB BS60-733-2ERFH/31L-M-B003-SKG 2	3524563	SKG 2	B003	115-41	115B	3	offset
SFB BS60-733-2ERFH/31R-M-B003-SKG 2	3524564	SKG 2	B003	115-41	115B	3	offset
SFB BS60-733-2ERFH/31L-M-B298-SKG 2	3524567	SKG 2	B298	115-41	115B	3	offset
SFB BS60-733-2ERFH/31R-M-B298-SKG 2	3524568	SKG 2	B298	115-41	115B	3	offset
End piece secondary sash lock bolt							
SFB V7710-733-2/31L	3440395	–	–	–	–	–	–
SFB V7710-733-2/31R	3440396	–	–	–	–	–	–
SFB V7720-733-2/31L	3440397	–	–	–	–	–	–
SFB V7720-733-2/31R	3440398	–	–	–	–	–	–
SFB V7730-733-2/31L	3440399	–	–	–	–	–	–
SFB V7730-733-2/31R	3440400	–	–	–	–	–	–
SFB V7740-733-2/31L	3440401	–	–	–	–	–	–
SFB V7740-733-2/31R	3440402	–	–	–	–	–	–
End piece secondary sash lock bolt for BS 3700							
SFB V7736-733-2F/31L	3524848	–	–	–	–	–	–
SFB V7736-733-2F/31R	3524849	–	–	–	–	–	–
SFB V7746-733-2F/31L	3524850	–	–	–	–	–	–
SFB V7746-733-2F/31R	3524851	–	–	–	–	–	–
End piece secondary sash lock bolt with perforation							
SFB V7736-733-2Q/31L	3483280	–	–	–	–	–	–
SFB V7736-733-2Q/31R	3483282	–	–	–	–	–	–
SFB V7746-733-2Q/31L	3483333	–	–	–	–	–	–
SFB V7746-733-2Q/31R	3483334	–	–	–	–	–	–

**Components secondary sash constructions**

Description	Part number	with SKG stamp	Version	Replacement part	Day latch	E-opener	Latch shape
Linkage secondary sash lock bolt							
SFB V7033-733-2/31L	3440411	–	–	–	–	–	–
SFB V7033-733-2/31R	3440410	–	–	–	–	–	–
Top striker plate							
USB 2325-146G/31	3483287	–	–	–	–	–	–
Floor connection							
DZM 8028-4V/31	3473961	–	–	–	–	–	–

Important notice

The abovementioned specifications as well as the resulting combinations of both hardware and profile system have not yet been tested. We therefore cannot be held liable for the completeness and correctness of the specifications. Any liability on our part on the basis of intent or gross negligence is not thereby excluded.