


Profile section single-sash constructions



A	Airgap	16,6 ^{+1,0}
B	Axis dimension	12,0
C	Rebate width	24,0
D	Rebate height	9,5
E	Fittings groove	24,0
F	Rebate thickness	4,5

All dimensions are nominal dimensions, specified in mm.
 They already include general tolerances according to DIN ISO 2768-1.

Sash-frame combinations single-sash constructions

Sash	21082	21093	21271	21291	21661	21681	21689	21691	29651
Frame	21079	21079	29680	21080	21260	21080	21080	21080	29680
						21260			
Secondary sash dimension	P6/24	P6/24	P6/24	P6/24	P6/24	P6/24	P6/24	P6/24	P6/24
Backset	45 mm	45 mm	45 mm	45 mm	45 mm	30 mm	45 mm	45 mm	45 mm


Components single-sash constructions

Description	Material number	embossing	Size variant	Replacement part	Day latch	E-opener type	Latch shape
Main striker plate for latch and bolt							
USB 25-06-24ERH/31L-M-SKG 2	3477657	SKG 2	–	115-41	115B	4	bevelled
USB 25-06-24ERH/31R-M-SKG 2	3477658	SKG 2	–	115-41	115B	4	bevelled
USB 25-06-24H/31---SKG 2	3478817	SKG 2	–	–	–	–	bevelled
Additional striker plate for round bolts with GENIUS magnetic reed switch contact							
USB 2325-06-24/31	3483134	–	–	–	–	–	–
Additional striker plate for round bolts and hook bolts							
USB 3625-06-24Q/31---SKG 2	3477535	SKG 2	–	–	–	–	–
USB B3625-06-24H/31---SKG 2	3511708	SKG 2	–	–	–	–	–
Additional striker plate for locking element and hook bolts BS 3700							
USB 3625-06-24F/31---SKG 2	3524546	SKG 2	–	–	–	–	–
Locking rail with 2 auxiliary boxes							
USL BD25-2-0624ERQH/31L-M-B001-SKG 2	3478553	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31R-M-B001-SKG 2	3478552	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31L-M-B003-SKG 2	3478559	SKG 2	B003	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31R-M-B003-SKG 2	3478558	SKG 2	B003	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31L-M-B298-SKG 2	3478563	SKG 2	B298	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31R-M-B298-SKG 2	3478562	SKG 2	B298	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31L-M-K001-SKG 2	3519048	SKG 2	K001	115-41	115B	4	bevelled

Components single-sash constructions

Description	Material number	embossing	Size variant	Replacement part	Day latch	E-opener type	Latch shape
USL BD25-2-0624ERQH/31R-M-K001-SKG 2	3519049	SKG 2	K001	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31L-M-K003-SKG 2	3519050	SKG 2	K003	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31R-M-K003-SKG 2	3519051	SKG 2	K003	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31L-M-K298-SKG 2	3519052	SKG 2	K298	115-41	115B	4	bevelled
USL BD25-2-0624ERQH/31R-M-K298-SKG 2	3519053	SKG 2	K298	115-41	115B	4	bevelled
Locking rail with 2 auxiliary boxes for BS 3700							
USL BD25-2-0624ERFH/31L-M-B001-SKG 2	3524637	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-2-0624ERFH/31R-M-B001-SKG 2	3524636	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-2-0624ERFH/31L-M-B003-SKG 2	3524641	SKG 2	B003	115-41	115B	4	bevelled
USL BD25-2-0624ERFH/31R-M-B003-SKG 2	3524640	SKG 2	B003	115-41	115B	4	bevelled
USL BD25-2-0624ERFH/31L-M-B298-SKG 2	3524645	SKG 2	B298	115-41	115B	4	bevelled
USL BD25-2-0624ERFH/31R-M-B298-SKG 2	3524644	SKG 2	B298	115-41	115B	4	bevelled
Locking rail with 2 auxiliary boxes and safety lock T2							
USL BD25-2-0624ERQT2H/31L-M-B001-SKG 2	3478601	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31R-M-B001-SKG 2	3478600	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31L-M-B003-SKG 2	3519046	SKG 2	B003	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31R-M-B003-SKG 2	3519047	SKG 2	B003	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31L-M-B298-SKG 2	3501228	SKG 2	B298	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31R-M-B298-SKG 2	3501229	SKG 2	B298	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31L-M-K001-SKG 2	3519054	SKG 2	K001	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31R-M-K001-SKG 2	3519055	SKG 2	K001	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31L-M-K003-SKG 2	3519056	SKG 2	K003	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31R-M-K003-SKG 2	3519057	SKG 2	K003	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31L-M-K298-SKG 2	3519058	SKG 2	K298	115-41	115B	4	bevelled
USL BD25-2-0624ERQT2H/31R-M-K298-SKG 2	3519059	SKG 2	K298	115-41	115B	4	bevelled
Locking rail with 2 auxiliary boxes and safety lock T2 for BS 3700 T4							
USL BD25-2-0624ERFT2H/31L-M-B001-SKG 2	3524649	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-2-0624ERFT2H/31R-M-B001-SKG 2	3524648	SKG 2	B001	115-41	115B	4	bevelled
Locking rail with 4 auxiliary boxes							
USL BD25-4-0624ERQH/31L-M-B001-SKG 2	3483582	SKG 2	B001	115-41	115B	4	bevelled
USL BD25-4-0624ERQH/31R-M-B001-SKG 2	3483583	SKG 2	B001	115-41	115B	4	bevelled
Accessories							
BSS 8042-06-24/31	3194051	—	—	—	—	—	—

Profile section double-sash constructions



A	Airgap	16,0 ^{+1,0}	D	Rebate height	9,5
B	Axis dimension	12,0	E	Fittings groove	24,0
C	Rebate width	16,8	F	Rebate thickness	4,5

All dimensions are nominal dimensions, specified in mm. They already include general tolerances according to DIN ISO 2768-1.

Sash-frame combinations secondary sash constructions

		Sash	
		21033 / 21082	21093 / 21093
Frame	21080	Secondary sash profile	
		21084	21097
Secondary sash dimension		P6/24	P6/24
Backset		35 mm	45 mm

Components secondary sash constructions

Description	Material number	embossing	Size variant	Replacement part	Day latch	E-opener type	Latch shape
Main striker plate for latch and bolt							
USB 25-05-24ERH/31L-M SKG 2	3518957	SKG 2	–	115-41	115B	4	bevelled
USB 25-05-24ERH/31R-M SKG 2	3518958	SKG 2	–	115-41	115B	4	bevelled
Additional striker plate for safety lock T2							
USB 25-05-24T2/31L	3519060	–	–	–	–	–	–
USB 25-05-24T2/31R	3519061	–	–	–	–	–	–
Additional striker plate for round bolts and hook bolts							
USB 3625-05-24Q/31---SKG 2	3511701	SKG 2	–	–	–	–	–
USB B3625-05-24H/31---SKG 2	3518959	SKG 2	–	–	–	–	–
Additional striker plate for locking element and hook bolts BS 3700							
USB 3625-05-24F/31---SKG 2	3525333	SKG 2	–	–	–	–	–
Additional striker plate for round bolts with GENIUS magnetic reed switch contact							
USB 2325-05-24/31	3518960	–	–	–	–	–	–

Components secondary sash constructions

Description	Material number	embossing	Size variant	Replacement part	Day latch	E-opener type	Latch shape
Cant lock							
KTR 8034/31	3297582	–	–	–	–	–	–
Top striker plate							
USB 2325-08-24G/31	3519105	–	–	–	–	–	–
Floor connection							
DZM 8028-4V/31	3473961	–	–	–	–	–	–

Important notice

The abovementioned specifications as well as the resulting combinations of both hardware and profile system have not yet been tested. We therefore cannot be held liable for the completeness and correctness of the specifications. Any liability on our part on the basis of intent or gross negligence is not thereby excluded.